



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁶:

B60R 1/00

A1

(11) International Publication Number:

WO 96/21581

(43) International Publication Date:

18 July 1996 (18.07.96)

(21) International Application Number: PCT/KR95/00010

(22) International Filing Date: 13 February 1995 (13.02.95)

(30) Priority Data:

1995/516

13 January 1995 (13.01.95)

KR

(71) Applicant (for all designated States except US): NINE LIGHTS & COMPANY [KR/KR]; 25-6, Chongam-1dong, Sungbuk-ku, Seoul 136-091 (KR).

(72) Inventor; and

(75) Inventor/Applicant (for US only): BANG, Young, Soo [KR/KR]; 8-101, Hyundai Mansion, 605-4, Sinsa-dong, Kangnam-ku, Seoul 135-120 (KR).

(74) Agent: BAEK, Young, Bang; #1202, Daehung Building, 648-23, Youksam-dong, Kangnam-ku, Seoul 135-080 (KR).

(81) Designated States: AU, BG, BR, CA, CN, CZ, HU, JP, PL, RU, US, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).


Published

With international search report.

(54) Title: BACKWARD AND SIDE-BACKWARD WATCHING SYSTEM FOR AUTOMOBILE

(57) Abstract

This invention is a backward and side-backward watching system of automobile which is made such that, in order that a driver can exactly watch the backward and side-backward at the same time with looking at front-ward without turning one's head in wide width, small TV cameras (12, 14, 16) equipped at back and both sides of automobile (10) and image monitors (20, 22, 24) attached to an instrument board (18) of automobile (10) are connected each other, so that the image signals of backward and side-backward of automobile outputted from the small TV cameras (12, 14, 16) can be displayed to a driver through the image monitors (20, 22, 24).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

- 1 -

BACKWARD AND SIDE-BACKWARD WATCHING SYSTEM
FOR AUTOMOBILE

TECHNICAL FIELD

5

The present invention relates to a novel backward and side-backward watching system for automobile.

BACKGROUND ART

10

Heretofore, a driver has distinguished objects existing at backward and side-backward through a inside mirror and both of outside mirrors.

In other word, heretofore since backward
15 direction and side-backward direction were observed through a reflection image by a inside mirror and outside mirrors, in case of outside mirrors, invisible parts, i.e., dead angle zones were much, and in night time, objects could not be distinguished because of
20 glaring due to head light of automobile running at rear, in case of running on raining road, the reflection images by the inside mirror and outside mirrors were not exactly visible due to rain drops stained to back window and side windows during running
25 the raining road because the inside mirror and outside

- 2 -

mirrors are visible through the back window and side windows of the automobile, in order that a driver who has looked at front watches backward and side-backward during running, since he or she should turn one's eyes
5 toward the inside mirror and the outside mirrors, considerable feeling of burden was given to the driver, and particularly there has been a problem that excessive feeling of burden was given to a beginning driver or a driver during running on a road which is
10 not well acquainted so that a feeling of fatigue was easily felt or an accident against safety was induced.

And, a freight car such as big truck or bus and the like is difficult to secure a backward field of vision so that it is almost impossible to watch for a small
15 vehicle approached to back or obstacle, and therefore there has been a problem that worry to induce a rear-end collision accident during running was much.

DISCLOSURE OF INVENTION

20

Inventor of this application has become to know that a driver can exactly watch front-ward, backward, and side-backward at same time without turning one's head in wide width if a situation of backward and
25 side-backward directions is made to be able to see at

- 3 -

an instrument board of automobile, so it has come to complete this invention.

It is an object of the present invention to provide a backward and side-backward watching system of automobile which is made to display an image signal
5 outputted from small TV cameras equipped at both side of front and rear of automobile through an image monitors attached to an instrument board of automobile.

10

BRIEF DESCRIPTION OF THE DRAWINGS

FIG.1 is a plane view of an automobile showing an example equipped with a watching system in accordance
15 with the present invention,

FIG.2 is a wiring diagram of the watching system shown in FIG.1, and

FIG.3 is a wiring diagram showing an example of another embodiment of the watching system shown in
20 FIG.2.

BEST MODE FOR CARRYING OUT THE INVENTION

Hereinafter, a preferred embodiment of the
25 present invention will be described more in detail

- 4 -

with reference to the accompanying drawings.

The present invention, as shown in FIG.1 and 2, is an article that small TV cameras 12,14,16 equipped at back and both sides of front of automobile 10 and
5 image monitors 20,22,24 attached to an instrument board 18 of automobile 10 are connected by cord wires 26,28,30, so as to be able to display the backward and side-backward image signals of automobile outputted from the small TV cameras 12,14,16 through the image
10 monitors 20,22,24 to a driver.

The small TV cameras 12,14,16 are fixed to the automobile 10, and they are protected and supported within housings 32,34,36 of one end opened container form so as not to be smeared by rain drops, muddy
15 water and dust.

The image monitors 20,22,24 are made by a small cathode ray tube (CRT) or small liquid crystal display (LCD).

In the present invention, the small TV cameras
20 12,14,16 are desirable to use an ordinary incident light reduction filter in order to prevent a glazing by head light of automobile running at rear at night time, and the small TV cameras 12,14,16 are also desirable to use a variable focus TV camera capable of
25 watching by selecting the objects existing at remote

- 5 -

or near distance, and the image monitors 20,22,24 or wide angle image monitor 40 can be made to obtain a picture in which traffic accident spot looks are contained and recorded by connecting a usual recording means 42.

In the present invention, the image monitors 20,22,24 or the wide angle image monitor 40 may be equipped not only to the instrument board 18 but to a place equipped with conventional inside mirror.

Explaining an operation and effect of the present invention constructed as these, it will be as follows.

In accordance with the present invention, since a driver can watch the image of backward and side-backward of automobile taken by the small TV cameras 12,14,16 equipped at backward and side-backward of the automobile 10 through the image monitors 20,22,24 or the wide angle monitor 40 attached around the instrument board 18 residing at front of driver' seat, the driver can easily catch the situation of backward and side-backward of automobile with looking at the front-ward during running.

Accordingly, since the driver is good if he or she does not turn one's eyes and look at the inside mirror and both outside mirrors during running in order to watch backward and side-backward, the feeling

- 6 -

of burden is not given to the driver whereby the feeling of fatigue according to the driving is reduced, and it gives much help for safety driving.

5 INDUSTRIAL APPLICABILITY

Since the present invention watches the image taken by the small TV cameras 12,14,16 equipped at exterior of the automobile 10 through the image
10 monitors 20,22,24 or the wide angle image monitor 40 within inside of room of automobile 10 without watching the situation of backward and side-backward directions through a back window and side windows of automobile, an obstacle of visual field due to a rain
15 drops stained to car windows during running on rainy road is not present, therefore it provides the backward and side-backward watching visual field necessary for the safety driving to a driver without almost receiving any influence of weather change, and
20 it has advantage that the picture contained and recorded with traffic accident spot looks can be obtained by utilizing the recording means 42 connected with the image monitors 20,22,24 or the wide angle image monitor 40.

- 7 -

CLAIMS :

1. Backward and side-backward watching system of
5 automobile which is made such that small TV cameras
12,14,16 equipped at backward and side-backward of
automobile 10 and image monitors 20,22,24 attached to
an instrument board 18 of the automobile 10 are
connected each other, so that image signals of
10 backward and side-backward of automobile outputted
from the small TV cameras 12,14,16 can be displayed to
a driver through the image monitors 20,22,24.

2. Backward and side-backward watching system of
automobile as defined in claim 1, which is made by
15 connecting the small TV cameras 12,14,16 to an
ordinary panoramic image synthesizer 38 and a wide
angle image monitor 40.

3. Backward and side-backward watching system of
automobile as defined in claim 1 or 2, which comprises
20 a recording means 42.

FIG.1




FIG.2





FIG.3



INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR 95/00010

A. CLASSIFICATION OF SUBJECT MATTER

IPC⁶: B 60 R 1/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC⁶: B 60 R 1/00, 11/00, 11/04; H 04 N 7/18

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 90/01 853 A1 (PETROSSIAN) 22 February 1990	1
A	(22.02.90), fig. 1-5; abstract.	2
X	FR 2 465 612 A1 (SANTENERO) 27 March 1981 (27.03.81),	1
A	fig. 1-3.	2
A	FR 1 377 315 A (LANGER) 28 September 1964 (28.09.64),	1,2
	fig. 1.	
A	US 4 214 266 A (MYERS) 22 July 1980 (22.07.80), fig.1.	1
X	DE 30 15 737 A1 (EUMIG) 13 November 1980 (13.11.80),	3
	claim 1; fig. 5,6.	
X	AT 398 295 B (KAINZ) 15 March 1994 (15.03.94), totality.	3

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

28 August 1995 (28.08.95)

Date of mailing of the international search report

04 September 1995 (04.09.95)

Name and mailing address of the ISA/AT

AUSTRIAN PATENT OFFICE

Kohlmarkt 8-10

A-1014 Vienna

Facsimile No. 1/53424/535

Authorized officer

Pangratz e.h.

Telephone No.

1/53424/413

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.

PCT/KR 95/00010

In Recherchenbericht angeführtes Patentsdokument Patent document cited in search report Document de brevet cité dans le rapport de recherche	Datum der Veröffentlichung Publication date Date de publication	Mitglied(er) der Patentfamilie Patent family member(s) Membre(s) de la famille de brevets	Datum der Veröffentlichung Publication date Date de publication
WO A1 9001853	22-02-90	AU A1 41883/89 US A 4910591	05-03-90 20-03-90
FR A1 2465612	27-03-81	keine - none - rien	
FR A 1377315		keine - none - rien	
US A 4214266	22-07-80	keine - none - rien	
DE A1 3015737	13-11-80	keine - none - rien	
AT B 398295	25-11-94	AT A 1810/92 EP A1 550397 JP A2 5345547 AT A 2/92 AT B 398294	15-03-94 07-07-93 27-12-93 15-03-94 25-11-94